



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 9 N

R 1 W

[illegible]

South Boundary. Apr. 3. 1811

From the Survey post Kern. East on a Random line.
 Along the South Boundary of Town. 9 N. 17. 6 miles &
 full 4 ch. North of Boone. Corrected and marked
 as the line West.

West On the South Boundary of sec. 36. T. 9 N. R. 17.
 27.00 To a Brook 10 miles and, become N. E.
 1.000 Set a post from whiter,
 11000 W. Oak 30 in diam. bears N 50 N. 28 N. dist. 10,
 80.00 Bush 12 in " " 180 to 19 " "
 Set a post for the corner of sec. 35 & 36 from whiter,
 Bush 18 in diam. bears S 70 N. 24 miles dist. 10,
 10000 Hick 10 in " " N 50 E. 7 " "
 Sund. line and met, Timber Brook, &c.

West On the South Boundary of sec. 35. T. 9 N. R. 17.
 40.00 Set a post from whiter,
 Sugar 14 in diam. bears S 69 E 13 miles dist. 10,
 Do 11 in " " N 50 N. 21 " "
 77.50 To a Brook 8 miles and, become N.
 80.00 Set a post for the corner of sec. 34 & 35. from whiter,
 Bush 12 in diam. bears S 38 N. 31 miles dist. 10,
 Do 11 in " " N 8 E. 17 " "
 Sund. of timber same.

West On the South Boundary of sec. 34. T. 9 N. R. 17.
 40.00 Set a post from whiter,
 Sugar 14 in diam. bears N 66 N. 21 miles dist. 10,
 Do 5 in " " N 40 E. 22 " "
 71.00 To a Brook 12 miles and, become N. N.
 80.00 Set a post for the corner of sec. 33 & 34 from whiter,
 Bush 5 in diam. bears N 39 N. 25 miles dist. 10,
 Do. 6 in " " N 48 E. 35 " "

T. No. 9 N. R. No. 1 W. 2nd Mer. Ind.

Beck 13 in dist. from NW 1/4 N. 5 W. 5 mts east,
 57.00 To a Beck 16 in dist. in the line.
 80.00 Set a post for the cor. of sec. 13 & 24 from which,
 Sugar 5 in dist. from NW 1/4 E. 7 mts east, to
 No. 8 " " " S 25 W. 14 " "
 Lands of middling quality Timber Beck, Sugar,
 Ash, Poplar,

North On the East Boundary of sec. 13. T. 9. N. R. 1 W.
 7.00 To a Beck 24 in dist. in the line.
 40.00 Set a post for the cor. from which,
 Sugar 16 in dist. from NW 1/4 E. 7 mts east, to
 Walnut 18 " " " S 22 W. 29 " "
 71.50 To a Brook 12 mts. min. corner N. W.
 71.50 " " Beck 18 in dist. from NW 1/4 E. 7 mts east, to
 80.00 Set a post for the cor. of sec. 12 & 13 from which,
 Sycamore 40 in dist. from NW 1/4 E. 25 mts east
 Sap Elm 5 " " " S 51 E. 25 " "
 Lands of timber same as last mtd.

North On the East Boundary of sec. 12. T. 9. N. R. 1 W.
 34.00 To a Oak 4 in dist. in the line.
 40.00 Set a post for the cor. from which,
 Sassafras 6 in dist. from NW 1/4 E. 5 mts east, to
 No. 3 " " " S 48 W. 7 " "
 43.00 To a Brook 30 mts. min. corner NW
 47.50 " " Sugar 12 in dist. in the line
 80.00 Set a post for the cor. of sec. 12 & 13 from which,
 Beck 12 in dist. from NW 1/4 E. 15 mts east, to
 Hick 13 " " " S 32 E. 17 " "
 Poor Hilly Beck, Land. by James Holmes D.S.

North On the East Boundary of sec. 1. T. 9. N. R. 1 W.

T. No. 9 N. R. No. 1 W. 2nd Mer. Ind.

7.00 To a Beck 20 in dist. in the line.
 16.75 Set out the N. Boundary line of Harris's Purchase
 and set a post for the cor. of sec. 1 & 6. T. 9. N. R. 1 W.
 1 E. 1 W. from which,
 Beck 14 in dist. from East 30 mts east, to
 Elm 4 " " " West 30 " "
 Lands of timber same.

North On the East Boundary of sec. 1. T. 9. N. R. 1 W.

12.00 To a Brook 20 mts. min. corner N. W.
 23.25 Set a post for the cor. from which,
 Hick 12 in dist. from NW 1/4 E. 17 mts east, to
 Sugar 10 " " " S 37 E. 8 " "
 63.25 Set a post for the cor. of sec. 16. 31 & 36 from which,
 Hick 9 in dist. from NW 1/4 E. 8 mts east, to
 Walnut 9 " " " S 50 E. 21 " "
 Lands very broken middling good for farming.
 Timber Beck, Hick, Oak, Ash, Sugar, &c.
 May 20. 1819

North Boundary N. 60° 30' E.
 West On the South Boundary of sec. 36. T. 10. N. R. 1 W.
 40.00 Set a post for the cor.
 80.00 Set a post for the cor. of sec. 35 & 36
 91.00 Field 360 links South of the cor. on the Indian Boundary
 line or N. Boundary of Harris's Purchase for the cor. of
 sec. 35 & 36.
 Lands middling good; Timber Beck, Sugar, Ash,
 Hick, Oak &c.

East On the line On the South Boundary of sec. 35.
 T. 10. N. R. 1 W. N. 60° 15'
 11.00 Set the post in the line for the cor. of sec. 35 & 36.
 from which, 13. Oak 18 in dist. from NW 1/4 E. 15 mts east
 and a Hick 9 " " " S 45 W. 9 " "

T. N. 9. N. R. N. 17. 2nd Mer. Ind.

East On the line On the South Boundary of sec. 36.
T. 10 N. R. 1 W.
10.00 Set a 70 suppost from which a
Bassifras 9 in dia^r beam S 63 E. 20 links dist; & a
Beck 12 " " S 80 W 6 " "
80.00 Set a post for the cor. of sec. 1. 6. 31 136 T. 9 N. 10 N. R. 1 E. 1 W.
Surveyed by
William Harris 1881.

East On the South Boundary of sec. 31. T. 10 N. R. 1 W.
From the cor. of T. 9 N. 10 N. R. 1 E. 1 W. April 5th 1881.
23.00 To a Brook 10 links wide, corner N.
40.00 Set a 70 suppost from which a
Ash 30 in dia^r beam North 15 links dist; & a
Beck 14 " " S 78 E. 27 " "
60.50 To a Brook 8 links wide, corner S. E.
80.00 Set a post for the cor. of sec. 31 132 from which a
Sugar 14 in dia^r beam S 38 E. 5 links dist; & a
Beck 13 " " N 74 E. 28 " "
Sands rich and hilly Timber Beck, Ash, & Buckeye

East On the South Boundary of sec. 32. T. 10 N. R. 1 W.
1.50 To a Brook 150 links wide, corner N. W.
5.00 " " Sec. 150 " " " S. E.
11.00 " " Sec. 150 " " " N. W.
40.00 Set a 70 suppost from which a
Beck 18 in dia^r beam S 61 W. 16 links dist; & a
Sec. 11 " " " N 57 E. 30 " "
80.00 Set a post for the cor. of sec. 32 133 from which a
Oak 14 in dia^r beam S 65 E. 27 links dist; & a
Beck 5 " " " N 31 E. 23 " "
Sands flat bottom covered with water; Timber
Elm, Maple, &c.

T. N. 9. N. R. N. 17. 2nd Mer. Ind.

East On the South Boundary of sec. 33 T. 10 N. R. 1 W.
10.00 To a Brook 6 links wide, corner S. E.
17.00 " " Sec. 10 " " " N. W.
40.00 Set a 70 suppost from which a
Ash 20 in dia^r beam S 81 W. 16 links dist; & a
Beck 10 " " " N 55 E. 15 " "
80.00 Set a post for the cor. of sec. 33 134 from which a
Ash 12 in dia^r beam N 77 E. 5 links dist; & a
Beck 18 " " " N 48 W. 19 " "
Sands hilly Timber Oak; East 1/2 flat Elm, lot
from land.

East On the South Boundary of sec. 34 T. 10 N. R. 1 W.
40.00 Set a 70 suppost from which a
Gum 30 in dia^r beam N 40 E. 9 links dist; & a
Beck 10 " " " N 49 W. 9 " "
57.00 To a Brook 150 links wide, corner S. W.
65.00 " " Sec. 150 " " " N. W.
80.00 Set a post for the cor. of sec. 34 135 from which a
Beck 12 in dia^r beam N 50 W. 34 links dist; & a
Sec. 24 " " " S 50 E. 28 " "
Sands 1/2 mile long not Beck, Sand; 1/2 mile
flat bottom land.

East On the South Boundary of sec. 35 T. 10 N. R. 1 W.
8.50 To a Brook 40 links wide, corner S.
32.50 " " Sec. 150 " " " N. W.
38.50 " " Sec. 8 " " " N. W.
40.00 Set a 70 suppost from which a
Gum 10 in dia^r beam S 46 W. 6 links dist; & a
Beck 5 " " " N 38 E. 19 " "
59.00 Set a post in the Boundary line of Harris's Purchase
for the cor. of sec. 35 from which a

Hick 11 in dia^r bears N 33 E. 14 links dist; to
Dogwood 4 " " S 20 W. 20 " "
Land dep^rmt into Buck bottom; &c.

Surveyed by
James Holmes Esq.

West Boundary. April 4. 1811. B 134

North On the East Boundary of sec. 36. T. 9. N. R. 2 W.
40.00 Set a 7th sap post from which
Hick 10 in dia^r bears West 18 links dist; to
Maple 11 " " " N 63 E. 33 " "
61.00 To a Oak 14 in dia^r in the line
80.00 Set a post for the cor. of sec. 35 & 36. from which
Dogwood 4 in dia^r bears S 33 E. 32 links dist; to
Do 6 " " " N 33 W. 34 " "
Land N. & rate Timber Sugar, Oak, &c.

North On the East Boundary of sec. 35. T. 9. N. R. 2 W.
38.00 To a Brook 10 links mid, corner S. E.
40.00 Set a 7th sap post from which
Oak 14 in dia^r bears S 50 E. 18 links dist; to
Do 11 " " " N 79 W. 10 " "
66.00 To a Hick 14 in dia^r in the line
80.00 Set a post for the cor. of sec. 34 & 35 from which
Hick 12 in dia^r bears N 30 E. 20 links dist; to
Buck 12 " " " S 74 W. 26 " "
Land Same as last mile.

North On the East Boundary of sec. 34. T. 9. N. R. 2 W.
22.50 To a Brook 12 links mid, corner S. E.
40.00 Set a 7th sap post from which
Maple 14 in dia^r bears N 10 E. 29 links dist; to
Poplar 25 " " " S 75 W. 10 " "

69.50 To a Walnut 13 in dia^r stands in the line.
80.00 Set a post for the cor. of sec. 33 & 34 from which
Oak 18 in dia^r bears N 46 W. 20 links dist; to
Dogwood 4 " " " S 39 W. 12 " "
Land of timber same as last mile.

North On the East Boundary of sec. 33. T. 9. N. R. 2 W.
22.50 To a Hick 18 in dia^r in the line.
40.00 Set a 7th sap post from which
Dogwood 10 in dia^r bears N 38 W. 34 links dist; to
Do 13 " " " S 38 E. 21 " "
67.00 To a Brook 12 links mid, corner S. E.
73.50 " " 20 " 8 " " " S. E.
80.00 Set a post for the cor. of sec. 32 & 33 from which
Hick 12 in dia^r bears S 37 W. 3 links dist; to
Do 10 " " " S 68 E. 10 " "
Land of timber same. on the N. & 7th mile. 2nd 7th mile.
Land of middling quality

North On the East Boundary of sec. 32. T. 9. N. R. 2 W.
32.50 To an Ash 30 in dia^r in the line.
40.00 Set a 7th sap post from which
Dogwood 12 in dia^r bears N 47 W. 9 links dist; to
Butter nut 18 " " " S 57 E. 31 " "
43.50 To a Brook 12 links mid, corner S. E.
53.50 " " Poplar 20 in dia^r stands in the line.
80.00 Set a post for the cor. of sec. 31 & 32 from which
Buck 13 in dia^r bears N 29 E. 31 links dist; to
Elm. 12 " " " N 60 W. 40 " "
Land of timber same as last mile.

North On the East Boundary of sec. 31. T. 9. N. R. 2 W.
34.75 To a Pine S. W.

T. N. 9. N. R. No 1 W. D. M. S. Ind.

40.00 Set a 1/2 sec post from which
Sugar 17 in. diam. 35 E. 36 links dist; to
No. 14 " " " N 19 W 31 " "
54.00 To a Sugar 16 in. diam. in the line.
80.00 Set a post for the cor. of S. 9 & 10. N. R. 1 & 2 W. from
which, Buck 5 in. diam. 16 W. 13 links dist; to
No. 12 " " " N 24 E. 28 " "
Good land Timber Sugar, Buck, Poplar,
Surveyed by James Holmes 10.1

Subdivisions Sept. 22. 1815.

North Return Sur. 35 & 36. T. 9. N. R. 1 W.
40.00 Set a 1/2 sec post from which,
Blue Ash 3 in. diam. 16 W. 29 links dist; to
Sugar. 18 " " " N 28 E. 28 " "
42.50 To a small Spring branch Corner N. W.
78.50 To a small Brook Corner N. W.
80.00 Set a post for the cor. of Sur. 25, 26, 35 & 36. from which
Buck 16 in. diam. 17 E. 16 links dist; to
Buck 12 " " " N 8 W. 12 " "
Land good for farming; Timber Ash, Buck, Sugar
Sycamore.

East On a Kalam line between Sur. 25 & 36. T. 9. N. R. 1 W.
40.00 Set a temp. 1/2 sec post.
64.50 To a Brook 8 links wide, Corner N. W.
80.78 Intersect the N. R. line on East Boundary 58 links North
of the post cor. of Sur. 25 & 36. Good hill, Timber Oak,
Hick, Buck, Elm, Poplar.

West On the line between Sur. 25 & 36. T. 9. N. R. 1 W.
40.39 Set the temp. 1/2 sec post at the ar. dist. on the line
from which, Sugar 16 in. diam. 22 W. 16 links dist;

T. N. 9. N. R. No 1 W. D. M. S. Ind.

80.78 Buck 20 in. diam. 19 E. 30 links dist;
To the post cor. of Sur. 25, 26, 35 & 36.

North Return Sur. 25 & 36. T. 9. N. R. 1 W.
40.00 Set a 1/2 sec post from which,
10 in. diam. 21 W. 16 links dist; to
Buck 11 " " " N 30 W. 20 " "
75.00 To a small Creek Corner N. W.
80.00 Set a post for the cor. of Sur. 23, 24, 25 & 26. from which,
Buck 10 in. diam. 16 W. 13 links dist; to
No. 16 " " " N 41 E. 10 " "
Land very hilly, Timber Buck, Ash, Oak, & Dogwood.

East On a Kalam line between Sur. 24 & 25. T. 9. N. R. 1 W.
40.00 Set a temp. 1/2 sec post.
80.24 Intersect the East Boundary 9 links North of the post cor.
of Sur. 24 & 25. Good hill, land m. adding good for
farming Timber Oak, Ash, & Buck.

West On the line between Sur. 24 & 25. T. 9. N. R. 1 W.
40.12 Set the temp. 1/2 sec post at the ar. dist. on the line
from which, Buck 30 in. diam. 17 E. 21 links dist;
and a No. 24 " " " N 21 E. 35 " "
80.24 To the post cor. of Sur. 23, 24 & 25 & 26.

North Return Sur. 23 & 24. T. 9. N. R. 1 W.
40.00 Set a 1/2 sec post from which,
Dogwood 3 in. diam. 13 W. 24 links dist; to
Buck 20 " " " N 65 E. 21 " "
78.50 To a creek 50 links wide, Corner N. W.
80.00 Set a post for the cor. of Sur. 13, 14, 23 & 24 from which,
Walnut 3 in. diam. 18 W. 11 links dist; to
Sugar 14 " " " N 88 E. 21 " "

T. N. 9. R. N. 17. 2nd Mer. Ind.

Beck 18 in air bears. N 12 W. 10 links dist; 12
 No. 17 " " N 82 W. 16 " "
 80.50 Intersect N. Boundary 8 1/2 m. E. of post, set post cor. of 1 & 2 from
 which Runway 26. N 42 W. 13 & a 2nd Runway 4. S 25 E. 19
 Broken State land, Beech, Sugar, Hickory &c.

September 22. 1815.

North Return Set 34 1/2 m. T. 9. R. 17.

40.00 Set a 7/8 suppost from which,
 Sugar 18 in air bears. S 21 E. 5 links dist; 12
 Beck 30 " " S 36 W. 27 " "

80.00 Set a post for the cor. of sw 26, 27, 34 & 35 from which,
 Beck 8 in air bears. S 30 W. 7 links dist; 12
 Sugar 4 " " N 26 E. 10 " "
 Same rate for farming Timber, Sugar &
 Walnut.

East On a Random line between Sec. 26 & 35. T. 9. R. 17.
 25.00 To a small brook corner N

39.00 " " 12. 15 links mid, corner N

40.00 Set a 7/8 suppost

80.66 Intersect the N 15 line 36 links North of the post cor. of
 Sec. 25, 26, 35 & 36. Same rolling & 2nd rate.

West On the true line between Sec. 26 & 35. T. 9. R. 17.

40.33 Set the 7/8 suppost at the av. dist. on the true line
 from which a Sugar 8 in air bears. N 7 E. 12 links dist;

and a No. 20 " " S 61 W. 22 " "

80.66 To the post cor. of sec. 26, 27, 34 & 35.

South On a Random line between Sec. 26 & 35. T. 9. R. 17.

4.50 To a brook 50 links mid, corner N.W.

40.00 Set a 7/8 suppost.

59.50 To a small brook corner E.

80.10 Intersect the East 131 line 120 links West of the post

T. N. 9. R. N. 17. 2nd Mer. Ind.

Cor. of Sec. 26, 27, 34 & 35. Land chiefly, and middling good
 for farming Timber Oak, Ash, Beech, & Poplar.

North On the true line between Sec. 26 & 27. T. 9. R. 17.

40.05 Set a 7/8 suppost at the av. dist. on the true line from
 which, 13 16 in air bears. N 46 E. 21 links dist;
 and a Beck 9 " " N 31 E. 27 " "
 To the post cor. of sec. 22, 23, 26 & 27.

West On a Random line between Sec. 23 & 26. T. 9. R. 17.

12.50 To a brook 40 links mid, corner N.W.

40.00 Set a 7/8 suppost.

81.05 Intersect the N 15 line 505 links South of the post cor. of
 Sec. 22, 23, 26 & 27.

West On the true line between Sec. 23 & 26. T. 9. R. 17.

40.53 Set the 7/8 suppost at the av. dist. on the true line from
 which, 11 Oak 11 in air bears. N 34 E. 3 links dist; 12
 Ash, 30 " " N 10 E. 15 " "

81.05 To the post cor. of sec. 22, 23, 26 & 27.
 Same extremely hilly. Timber Oak, Ash, Beech, Sugar.

South On a Random line between Sec. 22 & 23. T. 9. R. 17.

40.00 Set a 7/8 suppost.

45.00 To a brook 50 links mid, corner S.W.

72.50 " " 60 " " " "

79.80 Intersect the E 77 line 41 links East of the post cor. of
 22, 23, 26 & 27. Same very hilly, & Broken, Timber Oak,
 & Beech generally.

North On the true line between Sec. 23 & 33. T. 9. R. 17.

39.91 Set the 7/8 suppost at the av. dist. on the true line from
 which, 13 5 in air bears. N 5 E. 16 links dist; 12

Set 34 B5. I 10 NR 177 and set apart for the cargo
Set 213 from which,

Bush 6 in dia. here. N 74 E. 20 links dist. to

No. 12 " " N 74 W. 20 " "

Same here and from. Timber Bush, Oak, &c.

North On a Random line between Set 33 B4 I 9 NR 177

40.00 Set a trip for support.

63.00 To a Brook corner W.

70.00 " " 120. " "

81.52 Enter out the South Boundary 16 links East of the first corner
of set 33 B4 Same to the same.

North On the true line between Set 33 B4 I 9 NR 177.

40.00 Set the trip for support at the ar. dist. on the true line from
which, Hick 10 in dia. here. S 77 W. 22 links dist. to

Sugar 20 " " N 86 E. 23 " "

80.50 To the post on of set 27 28 33 B4

West Return Set 27 B4 I 9 NR 177.

40.00 Set a 74 support from which,

Sugar 16 in dia. here. N 74 W. 21 links dist. to

No. 10 " " S 73 W. 14 " "

80.00 Set a post for the cargo of set 27 28 33 B4 from which,

Bush 24 in dia. here. S 86 E. 8 links dist. to

No. 24 " " S 72 W. 20 " "

Same set rate; Timber Bush, Sugar, & Walnut, &c.

North Return Set 27 B4 I 9 NR 177.

40.00 Set a 74 support from which,

Sugar 16 in dia. here. N 84 W. 16 links dist. to

Bush 6 " " N 86 E. 18 " "

80.00 Set a post for the cargo of set 21 22 27 28 from which,

Bush 5 in dia. here. N 44 W. 3 links dist. to

Sugar 8 " " S 76 E. 27 " "

Same set rate.

East Return Set 22 B4 I 9 NR 177. Sept. 23rd 1815.

40.00 Set a 74 support from which,

Hick 6 in dia. here. N 54 E. 2 links dist. to

Bush 6 " " S 76 W. 2 " "

73.00 To a post 50 links out, corner W. 77.

80.00 Set a post for the cargo of set 22, 23, 26 & 27 from which,

W Oak 16 in dia. here. S 42 E. 3 1/2 links dist. to

B Oak 4 " " N 25 W. 35 " "

Same very hilly, & broken. Timber Oak, Ash, Bush,
Sugar,

North Return Set 21 B4 I 9 NR 177. Sept. 24th 1814

36.00 To a post 70 links out, corner W.

40.00 Set a 74 support from which,

Bush 14 in dia. here. N 81 E. 16 links dist. to

No. 6 " " N 47 W. 21 " "

80.00 Set a post for the cargo of set 15 16 21 & 22 from which,

W Oak 14 in dia. here. S 59 W. 27 links dist. to

Maple 11 " " N 73 E. 18 " "

Same to the same.

East Return Set 15 B4 I 9 NR 177.

28.00 To a small Bush corner S.

40.00 Set a 74 support from which,

Poplar 40 in dia. here. N 85 W. 16 links dist. to

Bush 16 " " S 74 E. 21 " "

80.00 Set a post for the cargo of set 14 15, 22 & 23 from which,

Dogwood 3 in dia. here. S 71 W. 22 links dist. to

Bush 10 " " N 41 E. 18 " "

T. A. G. A. R. N. 177 D. M. Ind.

Sandy hills, and middle good for farming
 Timber Oak, Ash, Beech, Poplar, &c.

North Return Jul 15th T. A. G. A. R. 177.
 4000 Set a 7/8 cup at from which, Sept. 25, 1815.
 Beech 4 in diam. 169 ft. 9 links dist; 80
 No. 6 " " 137 E 10 " "
 7000 To a small Brook Corner W.
 8000 Set a post for the ca. of 9. 10-15 ft. from which,
 Beech 20 in diam. 177 ft. 13 links dist; 80
 No. 18 " " 128 E 10 " "
 Sandy hills, Timber Beech, Ash, Poplar, Walnut,
 Sandy middle for farming.

West On a Random line between Jul 10th T. A. G. A. R. 177.
 4000 Set a 7/8 cup at from which,
 Dogwood 5 in diam. 177 ft. 6 links dist; 80
 No. 5 " " 148 E 22 " "
 8000 Set a post for the ca. of 10. 11-14 ft. from which,
 Hickory 6 in diam. 162 ft. 29 links dist; 80
 No. 10 " " 131 E 15 ft " "
 Sandy very hilly, soil rather thin. Timber Oak & Beech,

North Return Jul 9th T. A. G. A. R. 177.
 4000 To a Brook 30 links mid, Corner W.
 4000 Set a 7/8 cup at from which,
 Beech 10 in diam. 147 E 23 links dist; 80
 Poplar 4 " " 132 ft. 18 " "
 8000 Set a post for the ca. of 9. 34 9 10 from which,
 Sugar 12 in diam. 140 E 3 links dist; 80
 Beech 12 " " 143 ft. 22 " "
 Sandy front hilly and part creek bottom. The bottom
 middle good for farming.

T. A. G. A. R. N. 177 D. M. Ind.

West Return Jul 3rd T. A. G. A. R. 177. On the same line,
 3988 Set the trumpet 1/2 cup at the ar. dist on the same line from
 which, Beech 14 in diam. 156 E 35 links dist; 80
 No. 14 " " 137 E 26 " "
 7946 To the post on of 34 9 10.

East On a Random line between Jul 3rd T. A. G. A. R. 177.
 4000 Set a trumpet 1/2 cup at.
 7920 To a creek 30 links mid, Corner S.
 7976 Set out the N 13 line. 51 links North of the post, ca. of
 Jul 23, 10 177. Sandy hills, & poor,

North Return Jul 3rd T. A. G. A. R. 177.
 1714 To a creek 100 links mid, Corner W.
 4000 Set a 7/8 cup at from which; A Buckeye sapling,
 3 in diam. It was further ca. of 74 ft.
 7673 Set out the N 13 line 769 links West of the post on of 34
 33734 T. A. G. A. R. 177. and set a post further ca. of
 34 ft. from which,
 Beech 4 in diam. 142 ft. 22 links dist; 80
 No. 16 " " 146 E 17 " "
 Sandy with bottom, rich soil. Timber Oak & Beech,

South On a Random line between Jul 32 1833 T. A. G. A. R. 177.
 4000 Set a trumpet 1/2 cup at.
 5350 To a Brook 10 links mid, Corner S.E.
 8010 Set out the South Bound 146 links East of the post on of
 Jul 32 1833. Sandy & water; Timber Walnut, Sugar, Beech,
 Ash &c.

North Return Jul 32 1833 T. A. G. A. R. 177.
 4006 Set the trumpet 1/2 cup at the ar. dist on the same line from
 which, Beech 30 in diam. 146 ft. 5 links dist;

J. N. G. N. R. N. 177 2nd New. Ind.

and a 9th. 18 in dia. beam N 3 E. 24 the dist
 80.10 To the post on of 28.29.32 133

West Return Jul 29 132 J. N. R. 177.
 11.00 To a Brook 10 links wide, Corner N. E.

33.00 " " 10. 15 " " " "

40.00 Set a 70 support from which,
 Beut. 30 in dia. beam N 60 W. 16 links dist. to,
 No. 4 " " " N 60 E. 9 " "

80.10 Set apart for the on of 29.30.31 133 from which,
 Dogwood 5 in dia. beam N 7 W. 10 the dist. to,
 No. 4 " " " N 15 E. 15 " "
 Good farming land.

West Return Jul 28 133 J. N. R. 177

40.00 Set a 70 support from which,
 Sugar 10 in dia. beam N 5 W. 25 links dist. to,
 No. 24 " " " N 6 E. 22 " "

63.50 To a Brook Corner N.

80.00 Set apart for the on of 28.29.32 133 from which,
 Sugar 6 in dia. beam N 40 W. 20 links dist. to,
 No. 18 " " " N 72 E. 32 " "
 Sand & 1st rate Timber Sugar Beut. & Ash.

West On a Random line between Jul 25 179 J. N. R. 177

40.00 Set a tripit to support Sept. 24 1815.

43.00 To a Brook 10 links wide, Corner N. E.

55.50 " " 10. 10 " " " " N. E.

80.30 Intersect the East of West line 62 links East of the post
 on of 28.29.32 133
 Sand & 1st rate Timber Sugar Walnut Beut. & Ash

North Return Jul 28 179 J. N. R. 177 New line

J. N. G. N. R. N. 177 2nd New. Ind.

40.15 Set the tripit to support at the on. dist. on the line from
 from which, Beut. 6 in dia. beam N 3 E. 8 links dist.
 and a No. 8 " " " N 42 W. 26 " "
 80.30 To the post on of 28.29.32 133

West On the New line between Jul 21 178 J. N. R. 177.

39.36 Set the tripit to support at the on. dist. on the line from
 from which, Ash 40 in dia. beam N 32 W. 11 the dist.
 and a Ash 36 " " " N 4 E. 13 " "

78.73 To the post on of 28.29.32 133

East On a Random line between Jul 21 178 J. N. R. 177.

1.00 To a small Brook Corner N. E.

20.00 To a Brook 30 links wide Corner N.

40.00 Set a tripit to support.

68.00 To a Brook 10 links wide, Corner N.

78.73 Intersect the N 13 line 21 links North of the post on.
 of 28.29.32 133. Good farming land.

North Return Jul 20 179 J. N. R. 177

40.00 Set a 70 support from which,
 Ash 24 in dia. beam N 22 W. 6 links dist. to,
 No. 24 " " " N 8 E. 20 " "

57.50 To a Brook 15 links wide, Corner N.

80.00 Set apart for the on of 28.29.32 133 from which,
 Sugar 12 in dia. beam N 44 W. 5 links dist. to,
 Beut. 18 " " " N 43 E. 18 " "
 Sand & 1st rate; Timber Beut. Sugar, & Ash.

East On a Random line between Jul 16 174 J. N. R. 177

21.00 To a Brook 20 links wide, Corner N. W.

40.00 Set a tripit to support.

80.08 Intersect the N 13 line 81 links North of the post on.

I. N. 9. N. R. N. 177 2nd Mer. Ind.

13.16.21 1877 Lands on the West p. 1000; last p. Hilley & Prov.

West On the line between Jul 16 & 21. I. N. R. 177.
40.04 Set the timber to support at the ar. dist. on the line line
from which, Beach 10 in dist. from N 62 W 19 the air
under a R Oak. 36 " " " N 45 E 19 " "
80.08 To the post on of sec. 16. 17. 20 & 21.

South On a Random line between Jul 16 & 17. I. N. R. 177.
3.50 To a locust 60 links under corner N. W.
44.00 " " 100 " " " " N. E.
20.00 To " 100 " " " " " W.
40.00 Set a timber to support.
79.00 Intersect the East & West line 15 links West of the
post on of sec. 16. 17. 20 & 21.
Lands rich and good for farming.

North On the line between Jul 16 & 17. I. N. R. 177.
39.50 Set the timber to support at the ar. dist. on the line line
from which, N Oak 12 in dist. from N 31 W 8 the air
under a Hackberry 15 " " " N 74 E 26 " "
79.00 To the post on of sec. 8. 9. 16 & 17.

Oct. 1878 1875.
South On a Random line between Jul 8 & 9. I. N. R. 177.
30.00 To a locust 100 links under corner N.
40.00 Set a timber to support.
63.00 To a Birch 10 links under corner N.
80.25 Intersect the East & West line 13 links West of the post
on of sec. 8. 9. 16 & 17. Lands part level & part Hilley
3. rate.

I. N. 9. N. R. N. 177 2nd Mer. Ind.

North On the line between Jul 8 & 9. I. N. R. 177.
40.10 Set the timber to support at the ar. dist. on the line line
from which, Beach 18 in dist. from N 37 W 24 the air
under a N Oak. 18 " " " N 24 E 29 " "
80.25 To the post on of sec. 4. 5. 8 & 9.

West Return Jul 4 & 9. I. N. R. 177.
33.50 To a locust 100 links under corner N. E.
40.00 Set a timber to support from which,
Beach 10 in dist. from N 27 W 10 links dist. on,
Do. 10 " " " N 15 W 9 " "
80.00 Set a post for the cor. of sec. 4. 5. 8 & 9 from which,
Beach 14 in dist. from N 31 W 17 links dist. on,
Do 14 " " " N 41 E 13 " "
Lands level & good; not very good for farming
Timber Beach, Hickory, Gum, Oak &c.

North Return Jul 4 & 5. I. N. R. 177.
40.00 Set a timber to support from which,
Beach 12 in dist. from West 6 links dist. on,
Hicks 18 " " " N 68 E 28 " "
78.68 Intersect the N. Boundary 818 links West of the post
on of sec. 32 & 33. I. N. R. 177 and set a post for
" " " 4 & 5 from which,
N Oak 18 in dist. from N 50 E 14 links dist. on,
Beach 18 " " " N 52 W 9 " "
Lands level and good; Timber Beach, Gum, Oak,
not very good for farming

South On a Random line between Jul 31 & 32. I. N. R. 177.
40.00 Set a timber to support
79.86 Intersect the South Boundary 56 links West of the
post on of sec. 31 & 32. Lands 2nd rate Timber Oak.

I. N. G. N. R. N. 1 W. 2nd. Mrs. Ind.

39.41	Set the tripst 1/2 supst at the car dist on the line from which, Sugar 3 in dist from 12 E. 3 the dist and a Do. 24 " " N 63 E 12 " "
79.8.3	Set the post on of ew. 17.18.19 & 20
West 40.00	Return Jul 17/18 I. G. N. R. 1 W. Set a 1/2 supst from which, Beck 18 in dist from 14 E. 3 the dist; to, Do 4 " " " N 15 E. 16 " "
78.50	Set a post 30 miles from corner N.
80.00	Set a post for the car of ew. 17.18.19 & 20 from which, Nackberry 36 in dist from 14 E. 11 the dist; to, Sugar 14 " " " N 31 E. 25 " " Land good for farming; Timber Walnut Sugar Beck &c.
West 40.00	Return Jul 18/19 I. G. N. R. 1 W. Set a 1/2 supst from which, Beck 18 in dist from 14 E. 11 the dist; to, Sugar 9 " " " N 32 E. 39 " "
72.39	Set a post for the West Point 186 miles North of the post car of ew. 13 & 14 I. G. N. R. 2 W. and set a post for the " " " 18/19 from which, Nicky 12 in dist from 14 E. 11 the dist; to, Do 12 " " " N 38 E. 16 " " Land the same. Timber Beck, Sugar, Poplar & Oak.
North 40.00	Return Jul 17/18 I. G. N. R. 1 W. Iron line Set a 1/2 supst from which, Sugar in dist from 15 E. 14 the dist; to, Do 11 " " " N 44 E. 20 " "
80.21	Set the post on of ew. 7.8.17/18.

I. N. G. N. R. N. 1 W. 2nd. Mrs. Ind.

South 40.00	On a Kansas line between Jul 17/18. I. G. N. R. 1 W. Set a tripst 1/2 supst.
80.21	Set a post for the car of ew. 17.18.19 & 20. Land the same.
West 40.00	Return Jul 8/17 I. G. N. R. 1 W. Set a 1/2 supst from which, Beck 8 in dist from 15 E. 22 the dist; to, Do 30 " " " N 34 E. 10 " "
75.50	Set a post 15 miles from corner N.
80.00	Set a post for the car of ew. 7.8.17/18 from which, Beck 10 in dist from 13 E. 18 the dist; to, Do 30 " " " N 30 E. 16 " " Land good for farming; Timber Beck, Sugar, & Poplar.
West 40.00	Return Jul 7/18 I. G. N. R. 1 W. Set a 1/2 supst from which, Oak 12 in dist from 14 E. 5 the dist; to, Dogwood 9 " " " N 41 E. 13 " "
72.90	Set a post for the West Point 150 miles North of the post car of ew. 12 & 13. I. G. N. R. 2 W. and set a post for the " " " 17/18 from which, Poplar 4 in dist from 13 E. 6 the dist; to, Dogwood 6 " " " N 28 E. 16 " " Land good for farming.
South 40.00	On a Kansas line between Jul 7/18 I. G. N. R. 1 W. Set a tripst 1/2 supst
80.50	Set a post for the car of ew. 7.8.17/18. Land good for farming.

T. N. 9. N. R. N. 177 2nd Mer. Ind.

North On the line between Sec. 7 & 8 T. 9. N. R. 177
 40.28 Set the temporary corner at the air drill on the line
 from which
 Bech 11 in air line. N 80 E. 13 lbs. dist. to
 corner 9 " " S 29 W. 26 " "
 80.56 Set the post on of 20 5. 6. 7 & 8.

West Return Sec 5 & 8. T. 9. N. R. 177.
 40.00 Set a 7th corner from which
 B. Oak. 12 in air line. S 28 E. 6 lbs. dist. to
 Maple. 10 " " " " N 64 W. 30 " "
 45.00 To a Brook 100 yds. wide, corner to
 65.00 " " Do. " 20 " " " " " "
 80.00 Set apart from the corner 5. 6. 7 & 8 from which
 Bech. 20 in air line. N 28 E. 17 lbs. dist. to
 Do. 11 " " " " S 54 W. 16 " "
 Land East of corner. West part still, & part
 creek bottom, timber Bech &c.

West Return Sec 6 & 7. T. 9. N. R. 177
 39.00 To a Spring Branch Co. S. E.
 40.00 Set a 7th corner from which
 Bech 7 in air line. N 63 E. 17 lbs. dist. to
 Do. 20 " " " " S 21 W. 12 " "
 72.89 Intersect the West Branch 100 yds. South of the
 post on of 20 5. 6. 7 & 8 T. 9. N. R. 177. and set apart
 from which
 Sugar. 12 in air line. S 49 E. 18 lbs. dist. to
 Do. 20 " " " " S 62 W. 30 " "
 Land rolling timber Bech, Sugar, Poplar,
 Ash Walnut, & good land for farming.

Oct. 2. 1815.

T. N. 9. N. R. N. 177 2nd Mer. Ind.

North Return Sec 5 & 6. T. 9. N. R. 177.
 40.00 Set a 7th corner from which
 Bech 30 in air line. N 45 W. 16 lbs. dist. to
 Do. 24 " " " " S 10 E. 40 " "
 78.88 Intersect the N. Branch 720 yds. West of the post
 on of 20 5. 6. 7 & 8 T. 9. N. R. 177 and set apart from
 " " " " " " " " S 16 W. 16 lbs. dist. to
 Bech 5 in air line. N 16 E. 23 lbs. dist. to
 Elm 20 " " " " S 18 E. 19 " "
 Land hilly and soil muddling; timber Oak, Ash,
 Bech, & Poplar.

Surveyed by
 William Harris.
 Sept. 1815.

West Return Sec. 9 & 16 var. 5.50 E.
 40.00 Set a 7th corner from which
 a Bech 15 in. diam. - bear S 16 E. 16 lbs. dist. to
 a Sugar 6 " " " " N 11 E. 10 " "
 62.00 a dry branch 15 lbs. wide corner N. W.
 80.00 Set post on to Sec. 8, 9, 16 & 17 from which
 a Bech 12 in. diam. - bear N 15 E. 14 lbs. dist. to
 a N. Oak 12 " " " " S 63 W. 16 " "
 Land hilly, Oak, Bech, Sugar, Poplar &c.

I certify that the foregoing Transcript of the field
 notes of Township N. 9. North of Range No. 1 West
 of the 2nd Principal Meridian, has been compared with the original notes in the
 files of the General Office,
 Cincinnati. Oct. 20. 1841
 Surveys General Office
 J. S. Smith